SAFETY DATA SHEET



PERFORMANCE PLUS

STEAMASTER AUSTRALIA PTY LTD

Catalogue number: AP452 Version No: 2.2 Issue date: 17/01/2017

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product na	ne PERFORMANCE PLUS
Synony	ns AP452
Other means identificat	of Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Wool safe carpet cleaning prespray

Details of the supplier of the safety data sheet

Registered company name	STEAMASTER AUSTRALIA PTY LTD
Address	6 Reservoir Avenue, Greenacre SYDNEY NSW 2190 Australia
Telephone	(02) 9796 3433
Fax	1300 855 677
Website	www.steamaster.com.au
Email	sales@steamaster.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

 ${\sf HAZARDOUS\ CHEMICAL.\ NON-DANGEROUS\ GOODS.\ According\ to\ the\ Model\ WHS\ Regulations\ and\ the\ ADG\ Code.}$

Poisons Schedule	Not applicable	
GHS Classification [1]	Eye Irritation Category 2A, Acute Toxicity (Dermal) Category 4, Skin Corrosion/Irritation Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS 3. Classification drawn from EC Directive 1272/2008 - Annex VI	

Label elements

GHS label elements



SIGNAL WORD	WARNIN

Hazard statement(s)

H315	Causes skin irritation
H312	Harmful in contact with skin.
H319	Causes serious eye irritation

Precautionary statement(s) Prevention

P280 Wear protective gloves and eye protection.

Issue Date: 17/01/2017 Print Date: 17/01/2017

Precautionary statement(s) Response

P302+P352 +P332+P313	IF ON SKIN: Take off contaminated clothing. Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice / attention. Call a POISON CENTER or doctor if you feel unwell.	
P305+P351+P338+P337+P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, getmedical advice / attention.	
P362	Take off contaminated clothing and wash before reuse.	

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

P501

Dispose of contents / container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
5064-31-3	<10	nitrilotriacetic acid, trisodium salt
7758-29-4	<10	sodium tripolyphosphate
9016-45-9	<10	nonylphenol, ethoxylated
trade secret	trade secret	proprietary

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical advice / attention without delay If pain persists or recurs, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If furnes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing	media
Extiliguisilling	IIICuiu

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Special hazards arising from the substrate or mixture

Fire incompatibility	None known
----------------------	------------

Fire incompatibility	None known		
Advice for firefighters			
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.		
Fire/Explosion Hazard	The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may bum. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. May emit acrid smoke. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material. May emit corrosive fumes.		
HAZCHEM	Not applicable		

RFORMANCE PLUS Issue Date: 17/01/2017
Print Date: 17/01/2017

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Clean up

Environmental hazard - contain spillage. Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective equipment.

Contain and absorb spill with sand, earth, inert material or vermiculite.

Wipe up

Place in a suitable, labelled container for waste disposal

Major Spills

Minor Spills

Moderate environmental hazard - contain spillage.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or water course.

Stop leak if safe to do so.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

.

DO NOT allow clothing wet with material to stay in contact with skin

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area.

Safe handling Prevent of the North Control of the N

Prevent concentration in hollows and sumps.

DO NOT allow material to contact humans, exposed food or food utensils.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Other information

Conditions for safe storage, including any incompatibilities

None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

Storage incompatibility

INGREDIENT DATA

No data available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
nitrilotriacetic acid, trisodium salt	Nitrilotriacetic acid, trisodium salt, monohydrate	1.6 mg/m3	18 mg/m3	110 mg/m3
sodium tripolyphosphate	sodium tripolyphosphate	0.61 mg/m3	6.8 mg/m3	620 mg/m3
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether)	4.5 mg/m3	49 mg/m3	300 mg/m3

Ingredient	Original IDLH	Revised IDLH
nitrilotriacetic acid, trisodium salt	Not Available	Not Available
sodium tripolyphosphate	Not Available	Not Available
nonylphenol, ethoxylated	Not Available	Not Available

Issue Date: **17/01/2017** Print Date: **17/01/2017**

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.	
Personal protection		
Eye and face protection	Safety glasses with side shields. OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.	
Skin protection	See Hand protection below	
Hands/feet protection	Wear chemical protective gloves, Butyl or Neoprene are recommended for this application. Wear safety footwear	
Body protection	See Other protection below	
Other protection	Overalls. Barrier cream. Eye wash unit.	
Thermal hazards	Not Available	

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Citrus	Viscosity (cSt)	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Available
pH (as supplied)	7.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Partition coefficient n- octanol / water	Not Available
Initial boiling point and boiling range (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Molecular weight (g/mol)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material is not thought to produce adverse health effects following ingestion (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum.
Skin Contact	The material may cause skin irritation following contact. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

Issue Date: **17/01/2017**Print Date: **17/01/2017**

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
nonylphenol, ethoxylated	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
nonylphenol, ethoxylated	LOW (BCF = 16)

Mobility in soil

Ingredient	Mobility
nonylphenol, ethoxylated	LOW (KOC = 940)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM TRIPOLYPHOSPHATE (7758-29-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

NITRILOTRIACETIC ACID, TRISODIUM SALT (5064-31-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARCMonographs

NONYLPHENOL, ETHOXYLATED (9016-45-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average
PC-STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor
NOAEL: No Observed Effects Level
TUV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BGF: Bio Concentration Factors
BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.